

KAFFE BUENO

PERSONAL CARE PRODUCT CATALOGUE



UNLOCKING COFFEE'S HEALTH POTENTIAL

Kaffe Bueno is a Danish bioscience company upcycling coffee by-products into active and functional ingredients for Personal Care, Nutraceuticals, and Functional Food & Beverage.

Our **vision** is to transform the way people perceive coffee; from looking at it as their caffeine fix, to looking at it as a sustainable health elixir.

Our **mission** is to unlock coffee's health potential, where harmful emissions are minimised and coffee's by-product usability is maximised. By extending coffee's economical life, we will be able to give back to the people we owe its existence; farmers.



TABLE OF CONTENTS

0 1	The New Argan Oil - Upcycled Active Coffee Lipid	PAGE 3
0 2	KAFFIBRE® Upcycled Coffee Exfoliant	PAGE 19
03	KAFFAGE® Upcycled Multi-Functional Active Phenolic Extract	PAGE 25
0 4	KAFFAIR® Upcycled Active for Hair & Scalp Care	PAGE 33
0 5	K L E A N S T A N T [®]	PAGE 41
	Sustainable Surfactant From Upcycled Coffee By-Product Lipids	

KAFFOIL®

The New Argan Oil - Upcycled Active Coffee Lipid

PRODUCT NAME	PRODUCT CODES	INCI NAME	FORM
KAFF0IL®	01002	Coffea Arabica Seed Oil	Liquid
KAFEOTI -De	01003	Coffea Arabica Seed Oil	hinnil
















01. PRODUCT DESCRIPTION

KAFFOIL® is the first upcycled lipophilic extract derived from coffee's by-product.

No petrochemicals are used to extract it. The non-intrusive environmentally friendly extraction process allows for a holistic extraction and preservation of the whole spectrum of bioactive molecules.

This positions KAFFOIL® as a valuable ingredient in cosmetic formulations.

KAFFOIL-R® is a sustainable alternative to Argan oil. It increases hair shine, promotes anti-breakage and helps to repair chemically damaged hair.


02. BENEFITS

Personal Care Benefits:

- Anti-ageing¹
- SPF Boosting²
- Skin Barrier Enhancing ¹
- Antioxidant Activity¹
- Increases Hair Shine³
- Prevention & Repairs Split Ends³

Formulation Benefits:

Acts as an Emollient



03. RECOMMENDED APPLICATION

- Serums & Face Oils
- Shampoos, Conditioners & Scalp Revitalisers
- Hand Creams & Lotions
- Soaps & Cleansing Gels
- Sunscreens
- Night & Day Creams
- Body Lotions, Creams & Oils



PARAMETER	UNIT	SPECIFICATION
PALMITIC ACID	%	30 - 40
STEARIC ACID	%	7 - 10
OLEIC ACID	%	8 - 11
LINOLEIC ACID	%	42 - 47
LINOLENIC ACID	%	1 - 2
TOTAL TOCOPHEROLS	mg/kg	750-1500
PEROXIDE VALUE	mEq 02/kg oil	≤ 6
ACID VALUE (KOH)	mg KOH/g	≤ 15
SAPONIFICATION VALUE	mg KOH/g	150 - 210
UNSAPONIFIABLE MATTER	g / k g	9 - 15
FLASH POINT	° C	> 160
WATER CONTENT	%	≤ 0.35
SPECIFIC GRAVITY	20°C/WATER AT 20°C	0.90 - 0.95
TOTAL PLATE COUNT 30°C	CFU/g	≤ 10
YEASTS AND MOULDS	CFU/g	≤ 10
STAPHYLOCOCCUS AUREUS	CFU/g	N D
ESCHERICHIA COLI	CFU/g	N D


HLB-VALUE*: 5-6

SOLUBILITY (% G PRODUCT/G SOLVENT):

WATER	ETHANOL	GLYCEROL
IMMISCIBLE	IMMISCIBLE	100%

ACTIVE CONTENT (%): 15%

RECOMMENDED DOSAGE (%): 0.5% - 100%





KAFFOIL® VERSIONS & FORMULATIONS





EFFICACY DATA

SKIN REPAIR - IN VITRO

In order to evaluate the impact of KAFFOIL® on wound confluence, a series of experiments were conducted using keratinocyte cell lines (HaCaT). The cell lines were cultivated under controlled conditions of 37°C and 5% CO2 for a duration of 48 hours.

Wound confluence, defined as the proportion of the original wound area covered by migrating cells within a specified time period, was assessed. The cells were subjected to treatment with KAFFOIL® at concentrations of 0.1% and 0.2%. Additionally, a positive reference was included in the form of a 10% Fetal Bovine Serum (FBS) solution.

Upon completion of the 48-hour incubation period, no discernible disparity in wound confluence was observed between the KAFFOIL® 0.1% treatment group and the control. However, the KAFFOIL® 0.2% treatment yielded twice the amount of wound confluence in comparison to the control, resulting in a value of 80% as opposed to 40%.

Claims:

Improves the Skin Barrier and Supports Skin Repair

ANTIOXIDANT

IMPROVEMENT OF ANTIOXIDANT DEFENCE BY INDUCTION OF NRF2

To assess the impact of KAFFOIL® on antioxidant defense, keratinocyte cell lines (HaCaT-ARE-Luc) were cultivated under controlled conditions (37°C, CO2 incubator) for a period of 6 hours. The cells were exposed to increasing concentrations of the oxidizing agent dithiothreitol (DTT). During oxidative stress, the production of transcription factors such as nuclear factor erythroid 2-related factor 2 (Nrf2) is triggered, which in turn regulates the antioxidant defense system. In this assay, the level of Nrf2 production can be correlated with the relative light units (RLU) generated by the luciferase enzyme. The cells were subjected to a 0.1% treatment of KAFFOIL®, while 0.02 mM tert-butyl-hydroquinone (TBHQ) served as the positive reference.

Following the 6-hour incubation period, it was observed that the cells treated with 0.1% KAFFOIL® exhibited a Nrf2 production level that was 6 times higher compared to the control group.²

Additionally, to test the effect of KAFFOIL® on antioxidant defence, the intracellular accumulation of reactive oxygen species (ROS) was measured. HaCaT were preincubated with test substances before exposure to the oxidant tert-butyl-hydroperoxide (TTHP). In this assay the ROS production can be correlated to the change in fluorescence. The cells underwent 0.1% KAFFOIL® and 0.2% KAFFOIL® treatment, while 15 mM N-acetyl cysteine (NAC) was the positive reference.

The relative ROS activation was lower in the cells treated 0.1% KAFFOIL® (50%) and 0.2% KAFFOIL® (5%) compared to the control (100%)³.

Claims:

Antioxidant by Induction of NRF2 Pathway, Antioxidant by Reduction of ROS and Anti-ageing

FIGURE 1

Wound confluence
of HaCaT cells in
Dulbeccos Modified
Eagles Medium. Tested
conditions: without
additions (control),
0.1% KAFFOIL®, 0.2%
KAFFOIL® and Fetal
Bovin Serum.

FIGURE 2


Representative photos of wound confluence of HaCaT cells in Dulbeccos Modified Eagles Medium at 0-24-48h. Yellow line indicates the border between cells and no cells. Test conditions: without additions (control), 0.1% KAFFOIL®, 0.2% KAFFOIL® and 10% Fetal Bovin Serum (FBS).


FIGURE 3


Nrf2 activation expressed in relative RLU. Data is normalized according to the control. HaCaT-ARE-Luc cells exposed to DTT for 6 hrs. Test conditions: no antioxidant (control), 0.02 mM TBHQ (positive reference) and 0.1% KAFFOIL®.


FIGURE 4

Relative ROS
oxidation of HaCaT
cell in Dulbeccos
Modified Eagles
Medium with 10% PBS.
Test conditions: no
antioxidant (control),
0.1% KAFFOIL®, 0.2%
KAFFOIL® and 15 mM NAC
(positive reference).









10

HAIR CARE - EX VIVO³

To assess the ex vivo impact of KAFFOIL-R® on hair shine, hair breakage, and split ends in brown straight and Brazilian damaged hair, two formulations containing KAFFOIL-R® at concentrations of 2% and 5% were employed. The control group utilised argan oil as a substitute for KAFFOIL-R®. These formulations were applied once.

INGREDIENT (INCI NAME)	N O - 3	N O - 4
COFFEA ARABICA SEED OIL (KAFFOIL - R)	2	5
SHEA BUTTER ETHYL ESTERS	1 5	1 5
POLYCITRONELLOL ACETATE, UNDECANE AND TRIDECANE	5 5	5 4
P O L Y C I T R O N E L L O L A C E T A T E	2 8	2 6

Hair damage: The hair was bleached for 1 hour, thus it was chemically damaged.

7 conditions:


- Untreated Non Damaged Hair
- Untreated + Damaged Hair
- One Control Placebo + Damaged Hair
- One Formulation With KAFFOIL-R® at Two Concentrations (2% and 5%) + Damaged Hair
- One Formulation With Argan Oil at Two Concentrations (2% and 5%) + Damaged Hair

Claims: Repairs Split-ends, Anti-breakage and Increased Hair Shine.



HAIR SHINE

Sensorial evaluation and scorage by one expert in standardised lighting and position of hair tresses



STRAIGHT HAIR TRESSES

All formulations led to an increase in hair shine compared to the untreated damaged hair. No difference between the hairs treated with the KAFFOIL-R® and argan oil formulations was found.





FIGURE 5: Mean results of the straight hair after single product application.

BRAZILIAN HAIR TRESSES

KAFFOIL-R® 5% significantly increased Brazilian hair shine by 330% after bleaching procedure. No difference between the hairs treated with the KAFFOIL-R® and argan oil formulations was found.



12

 $\label{figure 6} FIGURE\: 6:\: Mean \:\: results\:\: of \:\: the \:\: Brazilian \:\: hair \:\: after \:\: single \:\: product \:\: application\:.$

HAIR BREAKAGE

The hair breakage was evaluated after 5000 brush strokes. The amount of broken hairs per hair tress were counted.

STRAIGHT HAIR TRESSES

KAFFOIL-R® showed similar efficacy in straight hair tresses compareed to that of Brazilian hair tresses.




FIGURE 7: Average amount of broken hairs per straight hair tress.

BRAZILIAN HAIR TRESSES

13

Combing resulted in a higher occurrence of broken hairs in Brazilian hair compared to straight hair, which was consistent for both undamaged and damaged hair. However, all formulations effectively reduced hair breakage in damaged hair. Notably, no discernible difference was observed between the effects of the KAFFOIL-R® and argan oil formulations on the treated hairs.




FIGURE 8: Average amount of broken hairs per Brazilian hair tress.

SPLIT ENDS

Hair split ends were accessed after the previously mentioned combing procedure.

STRAIGHT HAIR TRESSES

All formulations exhibited effective preventive action against the formation of split ends. Notably, KAFFOIL-R® demonstrated comparable efficacy in repairing straight hair to that observed in Brazilian hair.




FIGURE 9: Average split end per straight hair tress.



14

KAFFE BUENO© 2023 KAFFE BUENO© 2023

BRAZILIAN HAIR TRESSES

All formulations exhibited effective preventive measures against the formation of split ends. Remarkably, there was no discernible distinction between the results obtained from the application of KAFFOIL-R® and argan oil formulations. In the case of Brazilian hair, KAFFOIL-R® demonstrated an impressive dose-response pattern in repairing damage, resulting in a reduction of up to 94% in split ends following a bleaching procedure.





FIGURE 10: Average split end per Brazilian hair tress




SUMMARY

- \bullet $\,$ KAFFOIL-R $^{\!0}$ 2% and 5% have shown that they can increase Brazilian hair shine and strength.
- KAFFOIL-R[®] 2% and 5% were able to repair the damages caused by bleaching Brazilian hair.
- KAFFOIL-R® showed similar efficacy to argan oil.
- KAFFOIL-R® repair both Brazilian and Straight hair types. .



15 KAFFE BUENO© 2023 16



¹ Own data – in collaboration with innohealth Group

² Marto, J., et al., (2016). The green generation of sunscreens: Using coffee industrial sub-products. Industrial Crops and Products. 80:93-100

 $^{^{3}}$ Own data – in collaboration with inovapotek

KAFFIBRE®

Upcycled Coffee Exfoliant

PRODUCT NAMEPRODUCT CODESINCI NAMEFORMKAFFIBRE®02001Coffee Arabica Seed PowderPowder














01. PRODUCT DESCRIPTION

KAFFIBRE® are defatted coffee by-products and are the residue from the KAFFOIL® extraction.

KAFFIBRE® is an upcycled natural exfoliating ingredient, which can replace plastic microbeads, as well as being a cost-effective alternative to other natural exfoliants, like Defatted Rosehip Fibres, Quartz, Fruit Kernels and Almonds¹

KAFFIBRE® is milled to a smaller particles size (<150 µm), making it easier to incorporate in



02. BENEFITS

Personal Care Benefits:

- Exfoliates
- Might Reduce Appearance of Cellulite
- Removes Dead Skin Cells

Formulation Benefits:

- Brown Colourant
- Fine Particle Size
- Thickening

03. RECOMMENDED APPLICATIONS


- Scalp Scrubs
- Body Scrubs
- Face Scrubs
- Lip Scrubs
- Bar Soaps
- Body Lotions
- Facial Exfoliating Creams & Gels




PARAMETER	UNIT	SPECIFICATION
MOISTURE	g / 100g	< 5
MOULDS	CFU/g	< 100
YEASTS	CFU/g	< 100
STAPHYLOCOCCUS AUREUS	CFU/g	< 10
ESCHERICHIA COLI	CFU/g	< 10
SALMONELLA SPP.	IN 25 g	NOT DETECTED

KAFFIBRE® consists of 15-20% water-soluble and 80-85% water-insoluble fibres.

Exfoliating, or the removal of dead skin cells from the outer layer of the skin, can be done mechanically or chemically. The main mechanism of exfoliation by KAFFIBRE® is mechanical, with the firm particles of KAFFIBRE® scrubbing the skin. Furthermore, KAFFIBRE® still contains some caffeine (1%), which is proposed to have anti-cellulite properties². Caffeine has shown to reduce the accumulation of fat in cells³.





¹ Delgado-Arias, S., et al., (2019). Evaluation of the antioxidant and physical properties of an exfoliating cream developed from coffee grounds. Journal of Food Process Engineering. 43(5)

² Own data

³ Herman, A. & Herman, A.P., (2012). Caffein's mechanisms of action and its cosmetic us. Skin Pharmacol Physiol. 26(1):8-14

KAFFAGE®

Upcycled Multi-Functional Active Biopolymer Extract

PRODUCT NAME	PRODUCT CODES	INCI NAME	FORM
KAFFAGE®	03001-1	Coffea Arabica Seed Extract	Powder
KAFFAGE-D®	03001-2	Glycerine, Coffea Arabica Seed Extract	Liquid
KAFFAGE-B®	03002-1	Coffea Arabica Seed Extract	Powder
KAFFAGE-BD®	03002-2	Glycerine, Coffea Arabica Seed Extract	Liquid
















01. PRODUCT DESCRIPTION

KAFFAGE® is an innovative amphiphilic biopolymer derived from upcycled defatted coffee by-products. Its unique composition, enriched with polyphenolic groups, provides unparalleled multi-functionality and exceptional performance.

With its abundant hydroxycinnamic acids, KAFFAGE® offers remarkable antioxidant activity and effectively prevents UV-induced glycation in human cells¹. Moreover, it acts as a natural SPF booster by absorbing UV light, including UV-B rays known to cause sunburn².

The natural brown color of KAFFAGE® and the yellow to brown shade of KAFFAGE-B™ contribute to their ability to mimic various skin tones, reducing the reliance on conventional color compounds like iron oxides.

Furthermore, KAFFAGE® exhibits high water solubility along with emulsifying and thickening properties, facilitating effortless formulation. Its inherent antimicrobial properties also reduce the necessity for additional preservatives^{1,3}.



03. RECOMMENDED APPLICATIONS

- Skin Care
- BB/CC Creams
- Body Care
- Foundations
- Self-tanners


02. BENEFITS

Personal Care Benefits:

- Antiglycation¹
- Antioxidant
- Skin Microbiome Friendly
- SPF Booster ²

Formulation Benefits:

- Emulsifying
- Highly Water Soluble
- Mimics Wide Range of Skin Tones
- Preservative Boosting
- Thickening Effect



KAFFE BUENO© 2023 KAFFE BUENO© 2023


PARAMETER	K A F F A G E ® 0 3 0 0 1 - 1	KAFFAGE-D® 03001-2	KAFFAGE-B® 03002-1	KAFFAGE-BD® 03002-2
COLOUR INTENSITY (0.1% ABSORBANCE @610 NM)	0.40-0.7	0.2-0.3	0.1-0.35	0.05-0.15
COLOUR BY CIE LAB (L VALUE)	3 5 - 4 0	1 5 - 2 5	4 5 - 5 5	20-30
TINCTORIAL POWER (0.1% ABSORBANCE @560 NM)	0 . 5 - 0 . 8	0.2-0.3	0 . 1 - 0 . 3 5	0.05-0.15
TOTAL PHENOLICS CONTENT (GAL- LIC ACID EQUIVALENTS)	>40000 mg/kg	> 8 0 0 0 mg/kg	> 2 0 0 0 0 mg/kg	>4000 mg/kg
pH (1% SOLUTION IN WATER)	7 - 9	7 - 9	7 - 9	7 - 9
LOSS ON DRYING	< 5 %	< 5 %	< 5 %	< 5 %
DENSITY	0.55-0.65 g/m1	1.0-1.15 g/ml	0.55-0.65 g/ml	1.0-1.15 g/ml
TOTAL PLATE COUNT 30°C	≤ 10	≤ 10	≤ 10	≤ 10
YEASTS AND MOULDS	≤ 10	≤ 10	≤ 10	≤ 10
ESCHERICHIA COLI	N D	N D	N D	N D
STAPHYLOCOCCUS AUREUS	N D	N D	N D	N D

SOLUBILITY (% G PRODUCT/G SOLVENT):

WATER	ETHANOL	GLYCEROL
100%	40%	70%

ACTIVE CONTENT (%): TBD

RECOMMENDED DOSAGE (%): 1 - 6%



KAFFE BUENO© 2023 KAFFE BUENO© 2023

EFFICACY DATA

SKIN CARE - IN VITRO

To test the detoxifying and protective effects of KAFFAGE®, human keratinocytes (HaCaT) were exposed to UVA-light and the formed advanced glycation end-products (AGEs) were measured. These AGEs are formed under oxidative stress and have been linked to several chronic diseases, such as diabetes. Thus, inhibition of glycation has a preventive potential. The cells were for 24 hrs with 0.01% and 0.03% KAFFAGE®, this was enough to prevent damaging effects of UVA exposure (20 J/cm2) for 3.5 hrs. After 3 hrs exposure, cells treated with 0.03% and 0.01% KAFFAGE®, respectively 49.6% and 28.3%, than the control. The amount of AGEs in the 0.03% KAFFAGE® treated cells was comparable to the amount in unexposed cells.

The treatment with 0.01% and 0.03% KAFFAGE® for 24 hrs, significantly reduced the formation of AGEs under UVA exposure.




FIGURE 11: Advanced glycation end-products formed per total protein in HaCaT-cells after UVA exposure. Test conditions: no treatment (C), 0.03% KAFFAGE® , 0.01% KAFFAGE® .

CLAIMS:

By preventing UVA-induced glycation KAFFAGE helps preserve collagen and elastane.

MODE OF ACTION:

KAFFAGE® is an antioxidant that absorbs UV-light. This reduces the impact of UV-radiation on cells and its sugars and proteins, resulting is less formation of AGEs. The ability to absorb UV-light, makes KAFFAGE® a natural sun blocker. KAFFAGE® showed higher absorbance in all the UV-regions than the mineral sun blocker zinc oxide (ZnO), this was less in the UVA-region (315-380 nm) and more in the UVB-region (280-315 nm). KAFFAGE-B® did not absorb notable UVA and UVB radiation.

ABSORBANCE IN THE UV-REGION




FIGURE 12: Absorption in the UV-region at 100 µg/mL for KAFFAGE®, KAFFAGE-B® and ZnO.

SKIN CARE - IN VIVO




FIGURE 13: For KAFFAGE-BD®, the sample size for testing included 30 individuals using a formula with KAFFAGE-BD® and 20 without it. The testing method involved performing five repeated measurements on the cheek of each volunteer at various time points. The results demonstrated that after 28 days of use, the formula containing 3% KAFFAGE-BD® showed an average of 16% increase in skin hydration compared to a BB cream without KAFFAGE-BD®.

30

VISIA-CR IMAGING IMPROVEMENT IN APPEARANCE OF WRINKLES IN OCULAR REGION




FIGURE 14



FIGURE 15

CLAIMS:

KAFFAGE® improves fine lines, enhances hydration of the skin by 16%, and allows for a bettered appearance of hyperpigmentation.

POST USE CONSUMER SATISFACTION SURVEY BB CREAM WITH KAFFAGE-BD®

90% of users felt their skin was more radiant, with a healthy-looking glow.

 $9\,3\,\%$ of users felt their skin was more moisturised.

9.7% agreed the treatment nourished their skin.



KAFFE BUENO© 2023 32



¹Moreira, A.S., et al., (2012). Coffee melanoidins: structures, mechanisms of formation and potential health impacts. Food & Function. 3:903-915

² Own data

³ Own data

KAFFAIR®

Upcycled Active for Hair & Scalp Care

PRODUCT NAME	PRODUCT CODES	INCI NAME	FORM
KAFFAIR⊕	05001-1	Coffea Arabica Seed Extract	Powder
KAFFAIR-D⊕	05001-2	Glycerine, Coffea Arabica Seed Extract	Liquid
KAFFAIR-B⊕	05002-1	Coffea Arabica Seed Extract	Powder
KAFFAIR-BD⊕	05002-2	Glycerine, Coffea Arabica Seed Extract	Liquid













01. PRODUCT DESCRIPTION

KAFFAIR® is an innovative ingredient derived from upcycled coffee, set to revolutionize scalp and hair care with its scientific prowess.

Harnessing KAFFAIR®'s potential, this patentpending treatment upregulates vital human growth factors (IGF1, VEGF, FGF7) to fortify cuticles and follicles, defending against hair loss¹

KAFFAIR® also excels in purifying hair fibers, effectively removing environmental pollutants, thanks to its potent metal chelating properties².

With natural coffee-derived hues, KAFFAIR® preserves hair color while delivering remarkable benefits³.

Experience the transformative power of KAFFAIR®, an advanced solution that elevates scalp and hair care with remarkable natural effectiveness.

02. BENEFITS


Personal Care Benefits:

- Antioxidants
- Anti-pollution
- Helps Prevent Hair Loss
- Strengthens Hair Follicles

Formulation Benefits:

- Emulsifying
- Highly Water Soluble
- Preservative Boosting
- Thickening Effect

More data coming soon.



03. RECOMMENDED APPLICATION

- Shampoos, Conditioners & Scalp Revitalisers
- Hair Masks & Treatments
- Scalp Oils & Serums Foundations



KAFFE BUENO© 2023 36


PARAMETER	KAFFAIR® 05001-1	KAFFAIR® 05001-2	KAFFAIR® 05002-1	KAFFAIR® 05002-2
COLOUR INTENSITY (0.1% ABSORBANCE @610 NM)	0.40-0.7	0.2-0.3	0 . 1 - 0 . 3 5	0.05-0.15
COLOUR BY CIE LAB (L VALUE)	3 5 - 4 0	15-25	4 5 - 5 5	20-30
TINCTORIAL POWER (0.1% ABSORBANCE @560 NM)	0 . 5 - 0 . 8	0.2-0.3	0 . 1 - 0 . 3 5	0.05-0.15
TOTAL PHENOLICS CONTENT (GAL- LIC ACID EQUIVALENTS)	>40000 mg/kg	> 8 0 0 0 mg/kg	> 2 0 0 0 0 mg/kg	>4000 mg/kg
pH (1% SOLUTION IN WATER)	7 - 9	7 - 9	7 - 9	7 - 9
LOSS ON DRYING	< 5 %	< 5 %	< 5 %	< 5 %
DENSITY	0.55-0.65 g/m1	1.0-1.15 g/ml	0.55-0.65 g/ml	1.0-1.15 g/m1
TOTAL PLATE COUNT 30°C	≤ 10	≤ 10	≤ 10	≤ 10
YEASTS AND MOULDS	≤ 10	≤ 10	≤ 10	≤ 10
ESCHERICHIA COLI	N D	N D	N D	N D
STAPHYLOCOCCUS AUREUS	N D	N D	N D	N D

SOLUBILITY (% G PRODUCT/G SOLVENT):

WATER	ETHANOL	GLYCEROL
100%	4 0 %	70%

ACTIVE CONTENT (%): TBD

RECOMMENDED DOSAGE (%): 1 - 6%



37 KAFFE BUENO© 2023 KAFFE BUENO© 2023

EFFICACY DATA

HAIR GROWTH - IN VITRO

RESULTS

To evaluate the effect of KAFFAIR® on hair growth, the expression of several genes linked to hair growth in human follicle dermal papilla cells was accessed.

Results showed that treatment with 0.03% KAFFAIR® induced the expression of the vascular endothelial growth factor (VEGF) by $184.0 \pm 27.4\%$. This gene promotes the growth of new blood vessels and can result in accelerated hair regrowth. KAFFAIR® at 0.3% and 0.03% induced the expression of insulin-like growth factor (IGF-1). IGF-1 helps regulate cell proliferation. The expression of keratinocyte growth factor (FGF7) was induced after 0.3% KAFFAIR® treatment by $89.0 \pm 23.5\%$. FGF7 helps maintain hair health and is involved in all the steps of the hair growth cycle.

Androgenic alopecia, or male-pattern hair loss, is due to the shrinkage of hair follicles by genetic predisposition or hormonal stimulation. This hormonal stimulation is done by androgens, such as 5 α-dihydrotestosterone (DHT). DHT is synthesized from testosterone by 5 α-reductases. Three reductases (SRD5A1, SRD5A2, and SRD5A3) were monitored after KAFFAIR® treatment. Inhibitors of these genes are often used to prevent the conversion from testosterone to DHT and thus prevent shrinkage of hair follicles. No significant inhibition by KAFFAIR® was observed for these genes.


CLAIMS:

Improved hair health and promotes hair regrowth.


*In vivo studies ongoing throughout 2023

FIGURE 13: Expression of genes. Test conditions: no treatment (C), 0.3% KAFFAIR®, 0.03% KAFFAIR®. Data normalized according to control. A) VEGF expression B) IGF1 expression C) FGF7 expression D) SRD5A1 expression E) SRD5A2 expression F) SRD5A3 expression

FIGURE 13



40



¹ Own data (in collaboration with Bionos)

² Moreira, A.S., et al., (2012). Coffee melanoidins: structures, mechanisms of formation and potential health impacts. Food & Function. 3:903-915

³ Own data

KLEANSTANT®

Sustainable Surfactant from Upcycled Coffee By-Product Lipids

PRODUCT NAME PRODUCT CODES INCI NAME FORM KLEANSTANT® 01101 Liquid

Potassium Coffeeate



43











01. PRODUCT DESCRIPTION

KLEANSTANT® is a natural anionic surfactant derived from coffee by-products, containing potassium salts of palmitic and linoleic acids, along with polyphenols, tocopherols, and diterpene esters. It has cleansing, emulsifying, foaming, and antioxidative properties, and a moisturising effect1. It's sulphate and petroleumfree, naturally biodegradable, and enabling the reduction of the carbon footprint.

KLEANSTANT® offers an eco-friendly alternative for gentle personal care products, and its unique fatty acid composition and natural constituents found in coffee oil make it an excellent natural alternative to traditional surfactants, enabling formulators to create innovative personal care products that are both effective and eco-

02. BENEFITS

Personal Care Benefits:

- Rich With Antioxidants
- Soft Feel
- Moisturising Effect¹


Formulation Benefits:

- Acts as an Emollient
- Highly Soluble in Many Solutions
- Foaming
- Naturally Biodegradable
- Free From Sulphates & Petroleum



03. RECOMMENDED APPLICATIONS

- Soaps
- Shampoos
- Body Washes
- Cleansers



KAFFE BUENO© 2023 KAFFE BUENO© 2023


PARAMETER	UNIT	SPECIFICATION
SURFACE TENSION AT 1% CONCENTRATION	M N / M	35 - 40
VISCOSITY	CP	10 - 100
FOAM TEST (ROSS-MILES)	MINUTES	5
TURBITY POINT	° C	1 0
PH, DIRECT		11,5 - 12
TOTAL PLATE COUNT 30°C	C F U / G	≤ 10
YEASTS AND MOULDS	C F U / G	≤ 10
STAPHYLOCOCCUS AUREUS	C F U / G	N D
ESCHERICHIA COLI	CFU/G	N D

SOLUBILITY (% G PRODUCT/G SOLVENT):


WATER	ETHANOL	GLYCEROL
1 0 0 %	100%	100%

ACTIVE CONTENT (%): 20%

RECOMMENDED DOSAGE (%): 1 - 40%



KAFFE BUENO© 2023 46



¹ Own data (in collaboration with Alfa Chemistry Lab)

